

DEVELOP

Dynamic balance

www.develop.eu



ineo 958

- > Black & white
SRA3+ digital press
- > Up to 95 ppm

Features that make all the difference!

Competitive prices and a good product mix are essential factors for being successful in today's markets. In the print industry, this means a combination of a wide range of products, reliable technology and cost-effective calculation. The ineo 958 is the answer to these challenges, offering a good mix of features, technologies and investment to drive a successful printing business.

Durable performance

- Up to 95 A4 pages per minute
- Enhanced overall scanning performance for scanning and copying
- For higher productivity
- For more jobs in the print room

Highest reliability

- Long-lasting parts and consumables
- Auto Refining Developer System (ARDS)
- For prints with maximum efficiency
- For lucrative short-run printing

Ready-made print products

- 20-sheet booklet making
- 100-sheet stapling
- For highest automation and enormous productivity
- For more profit in the print room



Geared-up finishing

- Letter fold-in
- Stacking up to 3,000 sheets
- Optional 2- & 4-hole punching
- Minimised human interaction
- For optimised budgets


Environmental awareness

- Low power consumption
- Contains recycled plastic and bioplastic
- For reduced environmental impact
- Improved efficiency based on green values



High-end print control

- Proprietary controller
- For intuitive operation
- Saves time and money



Ease of use

- Innovative 9-inch capacitive colour touch screen panel
- Pop-up windows open for all function settings
- Seamless integration into document workflows
- For maximum ease of operation
- Frees operators for more important jobs

Sophisticated media handling

- Up to 6,650 sheets paper input capacity
- Up to 6 paper input trays
- For enhanced overall productivity
- For extreme cost savings

Comprehensive media processing

- Up to 300 g/m² paper weight in simplex printing
- Up to 256 g/m² paper weight in duplex printing
- Banner printing support
- For highly flexible print products
- Stands out from the competition

Perfect image quality

- True 1,200 x 1,200 dpi resolution
- HD toner technology
- For new print applications
- For growing businesses



SYSTEM SPECIFICATIONS

Resolution	1,800 x 600 dpi 1,200 x 1,200 dpi
Paper weight	40–300 g/m ²
Duplex unit	Non-stack type; 52–256 g/m ²
Paper sizes	A6–SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm
Maximum image area	307 x 437 mm (SRA3); 302 x 448 mm (A3+)
Paper input capacity	Standard: 3,650 sheets max.: 6,650 sheets
Paper output capacity	max.: 3,200 sheets
Main unit dimensions (W x D x H)	670 x 820 x 1,232 mm
Main unit weight	200 kg

PRODUCTIVITY

A4 mono	95 ppm
A3 mono	48 ppm

CONTROLLER

Embedded ineo Controller	
---------------------------------	--

SCANNER SPECIFICATIONS

Scan speed A4	Up to 240 ipm; one pass duplex scanning
Scan resolution	600 x 600 dpi
Scan modes	Scan-to-E-mail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-DPWS; Network TWAIN scan
Scan formats	JPEG; TIFF; PDF; PDF/A 1a and 1b (optional); compact PDF; encrypted PDF; searchable PDF (optional); XPS; compact XPS; PPTX; searchable PPTX (optional); searchable DOCX/XLSX (optional)

COPIER SPECIFICATIONS

Gradations	256 gradations
FCOT	3.1 sec.
Magnification	25–400%; in 0.1% steps
Multiple copies	1–9,999

ACCESSORIES

Large capacity tray A4	LU-303
Large capacity tray SRA3	LU-205
Staple finisher	FS-536
Punch kit for FS-536	PK-520
Booklet finisher	FS-536SD
Staple finisher	FS-537
Punch kit for FS-537	PK-521
Booklet finisher	FS-537SD
Post inserter for FS-537	PI-507
Job separator for FS-537	JS-602
Z-fold unit for FS-537	ZU-609
Output tray	OT-508
Key pad	KP-101
Working table	WT-506
Upright panel	WT-513
Fax board	FK-516
Keyboard holder	KH-102
USB keyboard connection	EK-610
USB keyboard connection, Bluetooth	EK-611
Biometric authentication	AU-102
Security kit	SC-508
Double feed detection kit	UK-501
Wireless LAN AP	UK-212
Trusted Platform Module (TPM)	LK-115v2
Mount kit for ID card reader	MK-735
Banner tray	BT-C1e
HDD Mirroring	HD-524
i-Option licence PDF/A, PDF encryption, digital signature	LK-102v3
i-Option licence searchable PDF and PPTX	LK-105v4
i-Option licence printing barcode fonts	LK-106
i-Option licence printing of Unicode fonts	LK-107
i-Option licence printing of OCR (A and B) fonts	LK-108
i-Option licence generates various file formats, incl. DOCX and XLSX	LK-110
i-Option licence native ThinPrint client	LK-111
i-Option licence trusted platform module for protection of data encryption and decryption	LK-115
Wireless LAN	SX-BR-4600

DEVELOP

Konica Minolta Business Solutions Europe GmbH
Europaallee 17 30855 Langenhagen Germany Phone +49 511 7404-0 www.develop.eu

For more information regarding the ineo 958 please refer to the respective product homepage



All data relating to the paper capacities of the document feeder, the final processing accessories and the paper cassettes apply to paper weighing 80 g/m² unless expressly stated otherwise. All data relating to the speed of printing, scanning or faxing apply to paper of an A4 format weighing 80 g/m² unless expressly stated otherwise.

All data relating to paper weights apply to media that are recommended by Konica Minolta. All technical data correspond to knowledge available at the time of going to print. Konica Minolta reserves the right to make technical alterations.

DEVELOP and ineo are registered trademarks/product titles owned by Konica Minolta Business Solutions Europe GmbH.

All other brand or product names are registered trademarks or product titles of their respective manufacturers. Konica Minolta does not accept any liability or guarantee for these products.

May 2016